

Multi-plast[®]

Plastifying machine



nbd biblion

Multi-plast[®]

The Multi-plast[®] is a fully automatic plastifying machine specially designed to cover hardbound books that need to be processed in large numbers. Both PVC and the more environmental friendly PP self adhesive foil can be used.

Operation description

The foil is cut to size and the spine and the corners are punched out. The foil is subsequently separated from the paper and transported to the middle of the book feeding unit.

After this, the book is fed through, the foil is pressed onto the book, the machine opens the book automatically and transports the book to the turning in part of the machine. Thereafter the machine folds in the overhanging foil automatically.



350 copies per hour

With a processing speed of 350 copies per hour. For a new order the machine is able to adjust automatically, therefore the changeover time is from 20-60 seconds.

Technical specifications

| Book | Minimum | Maximum |
|-----------|---------|---------|
| Thickness | 6 mm | 60 mm |
| Width | 120 mm | 320 mm |
| Height | 150 mm | 320 mm |

| | |
|-----------------------|------------------------------------|
| Power | 380 volt 16 amp |
| Air | 6 bar dry air |
| Required floor space* | 4000 x 8000 mm |
| Weight | 3.500 kg |
| Safety | the machine complies with CE norms |


NB: Technical specifications are subject of change
*Depending on configuration and available options.

Options

The Multi-plast[®] can be provided with a card and RFID module.



Core details

Cycle time: from 10 seconds
Number of operators: 1



Service and maintenance

Upon delivery of the Multi-plast[®] we will offer you the opportunity to opt for a service and maintenance contract.





nbd biblion

Contact information

NBD Biblion
Huygensstraat 1
2721 LT Zoetermeer
The Netherlands

T +31 (0)79 3440 344
E techniek@nbdbiblion.nl
I www.nbdbiblion.nl/techniek

