

Easy-plast[®]

Plastifying machine



nbd biblion

Easy-Plast[®]

The Easy-Plast[®] is a plastifying machine specially designed to cover hardbound books and paperbacks that need to be processed in small numbers. Both PVC and the more environmental friendly PP self adhesive foil can be used.



Operation description

The foil is cut to size and the spine and the corners are punched out. The foil is subsequently transported to the intermittent preparation table. The foil is then manually stripped from the surface and positioned against the beam. After this, the book is fed through, the foil is pressed onto the book, and the overhanging foil is manually folded in, or further processed in a Turning in machine.

Waste is kept to a minimum

The height, width, and thickness of the books are measured with measuring cylinders on the measuring table. In the multiple-copy mode, the format is measured once, or entered manually. The machine automatically selects the closest size out of six rolls. In this way, waste is kept to a minimum.

400 copies per hour

With a processing speed of 400 copies per hour.

Technical specifications

Book	Minimum	Maximum
Thickness	2 mm	70 mm
Width	100 mm	330 mm
Height	150 mm	400 mm



Power	380 volt 16 amp
Air	6 bar dry air
Required floor space*	950 x 9000 mm
Weight	1.000 kg
Safety	the machine complies with CE norms


NB: Technical specifications are subject of change
*Depending on configuration and available options.

Core details

Cycle time: from 9 seconds
Number of operators: 1

Options

The Easy-Plast[®] can be connected to other machines. For example in front of a Finishing table or in combination with a NBD Biblion Stacker.



Service and maintenance

Upon delivery of the Easy-Plast[®] we will offer you the opportunity to opt for a service and maintenance contract.





nbd biblion

Contact information

NBD Biblion
Huygensstraat 1
2721 LT Zoetermeer
The Netherlands

T +31 (0)79 3440 344
E techniek@nbdbiblion.nl
I www.nbdbiblion.nl/techniek

